

Hammer Drill Bits



FALCON SDS+ CARBIDE DRILL BITS

- Double flute for optimal drilling dust removal.
- Ductile, sharp carbide material.
- Aggressive head geometry for fast drilling.
- Maximum stability due to core reinforcement.
- Great speed, economical and convenience.

Application:

- Suitable for all SDS Plus hammer drills like Bosch, Makita, Hitachi, Hilti & etc.
- Sizes available up to 26mm in diameter with drill length exceed a meter in depth.
- For concrete, masonry and natural stone.

SUITABLE FOR



Falcon SDS+ Double Flute Twin Head 2-Cutters



Diameter (mm)	Width Length (mm)	Total Length (mm)	Statheros Part No.	Diameter (mm)	Width Length (mm)	Total Length (mm)	Statheros Part No.
5	50	110	S D P 5 5 0	14	150	210	S D P 1 4 1 5 0
5	100	160	S D P 5 1 0 0	14	200	260	S D P 1 4 2 0 0
5	150	210	S D P 5 1 5 0	14	250	310	S D P 1 4 2 5 0
5.5	50	110	S D P 5 5 5 0	14	400	450	S D P 1 4 4 0 0
5.5	100	160	S D P 5 5 1 0 0	14	550	600	S D P 1 4 5 5 0
5.5	150	210	S D P 5 5 1 5 0	14	950	1000	S D P 1 4 9 5 0
6	50	110	S D P 6 5 0	15	100	160	S D P 1 5 1 0 0
6	100	160	S D P 6 1 0 0	15	150	210	S D P 1 5 1 5 0
6	150	210	S D P 6 1 5 0	15	200	250	S D P 1 5 2 0 0
6	200	260	S D P 6 2 0 0	15	400	450	S D P 1 5 4 0 0
6	300	350	S D P 6 3 0 0	16	100	160	S D P 1 6 1 0 0
6.5	50	110	S D P 6 5 0 5 0	16	150	210	S D P 1 6 1 5 0
6.5	100	160	S D P 6 5 1 0 0	16	200	250	S D P 1 6 2 0 0
6.5	150	210	S D P 6 5 1 5 0	16	250	310	S D P 1 6 2 5 0
6.5	200	260	S D P 6 5 2 0 0	16	400	450	S D P 1 6 4 0 0
8	50	110	S D P 8 5 0	16	550	600	S D P 1 6 5 5 0
8	100	160	S D P 8 1 0 0	16	750	800	S D P 1 6 7 5 0
8	150	210	S D P 8 1 5 0	16	950	1000	S D P 1 6 9 5 0
8	200	260	S D P 8 2 0 0	16	1350	1400	S D P 1 6 1 3 5 0
8	250	310	S D P 8 2 5 0	18	150	210	S D P 1 8 1 5 0
8	400	460	S D P 8 4 0 0	18	200	250	S D P 1 8 2 0 0
8	550	600	S D P 8 5 5 0	18	250	310	S D P 1 8 2 5 0
9	100	160	S D P 9 1 0 0	18	400	450	S D P 1 8 4 0 0
10	50	110	S D P 1 0 5 0	18	550	600	S D P 1 8 5 5 0
10	100	160	S D P 1 0 1 0 0	18	750	800	S D P 1 8 7 5 0
10	150	210	S D P 1 0 1 5 0	18	950	1000	S D P 1 8 9 5 0
10	200	260	S D P 1 0 2 0 0	19	150	210	S D P 1 9 1 5 0
10	250	310	S D P 1 0 2 5 0	19	400	450	S D P 1 9 4 0 0
10	300	350	S D P 1 0 3 0 0	20	150	210	S D P 2 0 1 5 0
10	400	460	S D P 1 0 4 0 0	20	250	310	S D P 2 0 2 5 0
10	550	600	S D P 1 0 5 5 0	20	400	450	S D P 2 0 4 0 0
10	950	1000	S D P 1 0 9 5 0	20	550	600	S D P 2 0 5 5 0
11	100	160	S D P 1 1 1 0 0	20	950	1000	S D P 2 0 9 5 0
12	100	160	S D P 1 2 1 0 0	22	200	250	S D P 2 2 2 0 0
12	150	210	S D P 1 2 1 5 0	22	400	450	S D P 2 2 4 0 0
12	200	260	S D P 1 2 2 0 0	22	550	600	S D P 2 2 5 5 0
12	250	310	S D P 1 2 2 5 0	22	750	800	S D P 2 2 7 5 0
12	400	450	S D P 1 2 4 0 0	22	950	1000	S D P 2 2 9 5 0
12	550	600	S D P 1 2 5 5 0	24	200	250	S D P 2 4 2 0 0
12	950	1000	S D P 1 2 9 5 0	24	400	450	S D P 2 4 4 0 0
12	1350	1400	S D P 1 2 1 3 5 0	25	200	250	S D P 2 5 2 0 0
13	100	160	S D P 1 3 1 0 0	25	250	310	S D P 2 5 2 5 0
13	200	250	S D P 1 3 2 0 0	25	400	450	S D P 2 5 4 0 0
13	250	310	S D P 1 3 2 5 0	25	950	1000	S D P 2 5 9 5 0
13	400	450	S D P 1 3 4 0 0	26	200	250	S D P 2 6 2 0 0
14	100	160	S D P 1 4 1 0 0	26	400	450	S D P 2 6 4 0 0

Hammer Drill Bits

FALCON SDS+ CARBIDE DRILL BITS

- Slender drill head with 4 carbide cutting edges.
- Large-volume double threaded flute for instant dust removal.
- Extreme smooth running with substantial less vibrations during operation.
- Dimensionally accurate bore-holes.
- Great speed, economical and convenience.

Application:

- Suitable for all SDS Plus hammer drills like Bosch, Makita, Hitachi, Hilti & etc.
- Sizes available up to 26mm in diameter with drill length exceed a meter in depth.
- For concrete, masonry and natural stone.

SUITABLE FOR



Falcon SDS+ Double Flute Quadro Head 4-Cutters



Diameter (mm)	Width Length (mm)	Total Length (mm)	Statheros Part No.
5	50	120	SDPQ550
5	100	170	SDPQ5100
5	150	220	SDPQ5150
5.5	50	120	SDPQ5550
5.5	100	170	SDPQ55100
5.5	150	220	SDPQ55150
6	50	120	SDPQ650
6	100	170	SDPQ6100
6	150	220	SDPQ6150
6.5	50	120	SDPQ65050
6.5	100	170	SDPQ65100
6.5	150	220	SDPQ65150
8	50	120	SDPQ850
8	100	170	SDPQ8100
8	150	200	SDPQ8150
8	200	270	SDPQ8200
10	50	120	SDPQ1050
10	100	170	SDPQ10100
10	150	220	SDPQ10150
10	200	270	SDPQ10200
10	300	370	SDPQ10300
10	400	470	SDPQ10400
12	100	170	SDPQ12100
12	150	220	SDPQ12150
12	200	270	SDPQ12200
12	400	470	SDPQ12400
13	100	170	SDPQ13100
13	150	220	SDPQ13150
14	100	170	SDPQ14100
14	150	220	SDPQ14150
14	200	270	SDPQ14200
14	400	470	SDPQ14400
16	100	170	SDPQ16100
16	150	220	SDPQ16150
16	200	270	SDPQ16200
16	400	470	SDPQ16400
18	150	210	SDPQ18150
18	200	270	SDPQ18200
18	250	320	SDPQ18250
18	400	470	SDPQ18400
20	150	220	SDPQ20150
20	200	270	SDPQ20200
20	250	320	SDPQ20250



Quadro Head

Hammer Drill Bits

FALCON SDS MAX CARBIDE DRILL BITS

Application:

- Suitable for all SDS Max hammer drills like Bosch, Makita, Hitachi, Hilti & etc.
- Sizes available up to 26mm in diameter with drill length exceed a meter in depth.
- For concrete, masonry and natural stone.

- Slender drill head with 4 carbide cutting edges arranged in an X-shape, enabling the Quadro-X to penetrate quickly into even the hardest concrete.
- Large-volume double threaded flute for instant removal of drilling dust. With Vario pitch from dia.25 mm.
- Core reinforcement for full power transmission.
- Extremely fast, extremely durable.
- No digging, no risk of breakage in reinforced concrete.
- Extremely smooth running. The substantial reduction of vibrations relieves the strain on both the operator and the power tool.
- Dimensionally accurate bore-holes.
- Vacuum brazing/tempering process.



Falcon SDS Max - Double Flute Quadro Head 4-Cutters



Diameter (mm)	Width Length (mm)	Total Length (mm)	Statheros Part No.
12	200	340	SMXQ12200
12	400	540	SMXQ12400
12	600	800	SMXQ12600
13	200	340	SMXQ13200
13	400	540	SMXQ13400
14	200	340	SMXQ14200
14	400	540	SMXQ14400
14	600	800	SMXQ14600
15	200	340	SMXQ15200
15	400	540	SMXQ15400
16	200	340	SMXQ16200
16	400	540	SMXQ16400
16	600	800	SMXQ16600
16	800	940	SMXQ16800
16	1200	1340	SMXQ161200
18	200	340	SMXQ18200
18	400	540	SMXQ18400
18	600	800	SMXQ18600
18	800	940	SMXQ18800
19	200	320	SMXQ19200
19	400	520	SMXQ19400
20	200	320	SMXQ20200
20	400	520	SMXQ20400
20	600	800	SMXQ20600
20	800	920	SMXQ20800
22	200	320	SMXQ22200
22	400	520	SMXQ22400
22	600	700	SMXQ22600
22	800	920	SMXQ22800
24	200	320	SMXQ24200
24	400	520	SMXQ24400
25	200	320	SMXQ25200
25	400	520	SMXQ25400
25	600	700	SMXQ25600
25	800	920	SMXQ25800
25	1200	1320	SMXQ251200
26	200	320	SMXQ26200
26	400	520	SMXQ26400
28	200	320	SMXQ28200
28	400	520	SMXQ28400
28	600	700	SMXQ28600
28	800	920	SMXQ28800
30	200	320	SMXQ30200
30	400	520	SMXQ30400
30	600	700	SMXQ30600
32	200	320	SMXQ32200

Diameter (mm)	Width Length (mm)	Total Length (mm)	Statheros Part No.
32	400	520	SMXQ32400
32	600	700	SMXQ32600
32	800	920	SMXQ32800
32	1200	1320	SMXQ321200
35	200	320	SMXQ35200
35	400	520	SMXQ35400
35	600	700	SMXQ35600
38	200	320	SMXQ38200
38	400	520	SMXQ38400
38	600	720	SMXQ38600
40	200	320	SMXQ40200
40	400	520	SMXQ40400
40	600	720	SMXQ40600
40	800	920	SMXQ40800
40	1200	1320	SMXQ401200
45	400	520	SMXQ45400
50	400	520	SMXQ50400



Quadro Head

SDS MAX Chisels

























FALCON Chisel Hammers

- High quality for extreme conditions.
- Chisels are made of high grade steel with wear resistance, shot-peened surface finish.
- Great speed, economical and convenience.

Application:

- Suitable for all SDS Plus hammer drills like Bosch, Makita, Hitachi, Hilti & etc.
- For concrete, masonry and natural stone.
- Wide variety of chisel profiles.

SDS Max Chisels

	Profile Type	Width Length (mm)	Total Length (mm)	Statheros Part No.	
	Bull Point	-	280	SMXBPT28	
			400	SMXBPT40	
			600	SMXBPT60	
	Spiral Point	-	400	SMXTPT40	
			600	SMXTPT60	
	Self Sharpen Groove Point	-	400	SMXSPT40	
			600	SMXSPT60	
	Flat	25	280	SMXFLT2528	
			400	SMXFLT2540	
			600	SMXFLT2560	
	Spade	50	400	SMFSP5040	
			75	SMFSP7530	
	Tile	115	350	SMXTLE11535	
			600	SMXTLE11560	
	Wide Bented 25°	50	400	SMXWBT5040	
			75	SMXWBT7530	
	Point Spade	100	450	SMXPSP10045	
	Clay Spade	110	450	SMXCSP11045	
	Self Sharpen Flat	25	400	SMXSFT2540	
			50	SMXSFT5040	
	Canal	33	300	SMXCNL3330	
	Hollow Gouge	26	300	SMXHGE2630	
	Winged Gouge	35	380	SMXWGE3538	
	Wide Bented	27	300	SMXSLT2730	
	Clay Spade	-	300	SMXCHR30	
	Bushing Head	16T - 40 x 40	250	SMXBSH1640	
		25T - 40 x 40	220	SMXBSH2540	

SDS+ Chisels



















FALCON Chisel Hammers

- High quality for extreme conditions.
- Chisels are made of high grade steel with wear resistance, shot-peened surface finish.
- Great speed, economical and convenience.

Application:

- Suitable for all SDS Plus hammer drills like Bosch, Makita, Hitachi, Hilti & etc.
- For concrete, masonry and natural stone.
- Wide variety of chisel profiles.

SDS+ Chisels

	Profile Type	Width Length (mm)	Total Length (mm)	Sthatheros Part No.		
	Bull Point	-	140	SDPBPT25		
			250	SDPBPT25		
	Groove Point	-	250	SDPGPT25		
	Flat	20	140	SDPFLT2014		
			250	SDPFLT2025		
	Spade	40	140	SDPFSP4014		
			250	SDPFSP4025		
			165	SDPFSP7516		
			250	SDPFSP7525		
	Tile	40	260	SDPTLE4026		
			Wide Bented 25°	40		SDPWBT4025
				75		SDPWBT7516
	Wide Bented	75	250	SDPWBT7525		
			20	SDPSFT2025		
	Self Sharpen Spade	40	250	SDPSSP4025		
			22	SDPCNL2225		
	Hollow Gouge	22	250	SDPHGE2225		
			22	SDPWGE2225		
	Winged Gouge	22	250	SDPWGE2225		
			16T-40x40	250		SDPBSH1640

HEX Chisels









FALCON Chisel Hammers

- High quality for extreme conditions.
- Chisels are made of high grade steel with wear resistance, shot-peened surface finish.
- Great speed, economical and convenience.

Application:

- Suitable for all Hex shank hammer drills like Bosch, Makita, Hitachi, Hilti & etc.
- For concrete, masonry and natural stone.
- Wide variety of chisel profiles.

Hex Chisels

	Profile Type	Width Length (mm)	Total Length (mm)	Statheros Part No.	
	Bull Point	Hex 17mm			
	Bull Point	-	280	HXTBP17280	
	Bull Point	-	450	HXTBP17480	
	Spiral Point	-	280	HXTSP17280	
	Spiral Point	-	450	HXTBP17480	
	Flat	22	280	HXCFT17280	
	Flat	22	450	HXCFT17450	
	Wide Spade	50	280	HXCSP1750280	
	Wide Spade	50	450	HXCSP1750450	
	Self Sharpen Flat	22	280	HXSFT17280	
	Self Sharpen Flat	22	450	HXSFT17450	
		Hex 30mm			
	Self Sharpen Groove Point	-	400	HXSSP30400	
	Flat	400	35	HXCSP3035400	
	Flat	400	75	HXCSP3075400	
	Flat	400	115	HXCSP30115400	